


PIG LIGHTING

T12-IP67 Pig House LED Lighting



- IP67 Waterproof grade, stand for high pressure water jet
- Ammonia Gas and other cleaning chemical resistance.

HT Product Code	Beam Angle	Voltage	Power	Size
HT-T12AC25W12FD			23-25W	OD32mm L: 1200mm
HT-T12AC30W15FD	180°	100-264Vac	28-30W	OD32mm L: 1500mm
HT-T12AC36W18FD			33-35W	OD32mm L: 1800mm



DAIRY LIGHTING

LED Poultry Light



DAIRY LIGHTING

iCOW T70 LED Light

Smart lighting system for cowshed




- IP67 Waterproof
- Smart System
- Smooth Dimming
- 5 Year Warranty
- No Flicker
- Energy Saving



iCOW Control Box

- RS485 Smart control
- 4 Channel individual control
- Tir-color/two-color individual control
- Up to 160pcs 60W lamps can be connected

Items	icow T70 Tri	icow T70 Pro	icow T70 Pro
Product Code	HT-T70AC60W12FD/T	HT-T70AC60W12FD/P	HT-T70AC60W12FD
Input Voltage		180-264Vac	
Input Current			
White LED	60w max		60w max
RED LED	25W max	60w max	X
Blue LED	25W max	25W max	X
Lumen efficiency		7800Lm for 5000k White	
Dimension		L=1200mm, =70mm	
Color temperature	White(5000k) Red color (620nm) Blue color (460nm)	White (5000k) Red color (620nm) Or Blue color (460nm)	White (5000k)



Diagrams below show a connection schematics possible to connect iCow LED light with Hontech Smart controller, which can achieve the auto control by RS485.



MUSHROOM GROWING LIGHTING


LED Poultry Light

T14 LED Poultry Light

LED Light For Poultry Farm



 CE RoHS IP67



HT Product Code	Voltage	Beam Angle	Power	Size
HT-T14AC25W12FB			25W	OD36mm L:1200mm
HT-T14AC30W15FB	100-264Vac	180°/270°	30W	OD36mm L:1500mm
HT-T14AC36W18FB			35W	OD36mm L:1800mm



PRODUCT FEATURES

- Withstand steam and water leaks
- IP67 steam and ammonias resistant
- Specially design for mushroom house
- Operation temp:-20C-50C
- Storage temp:-30C-95C
- Steaming temp:95 C MAX